# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L3 | 76 | intel.as. and endian | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L4 | 9 | intel.as. and (endian near4 (conversion or convert$4)) | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L5 | 9 | intel.as. and (endian.ab.) | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L6 | 5 | L5 not L4 | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L7 | 102 | 711/201 and (711/206 or 711/207) | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L8 | 5 | 711/201 and (711/206 or 711/207) and endian | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L9 | 16 | 711/201 and (endian near6 (conversion or convert$4)) | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L10 | 15 | L9 not L8 | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L24 | 93 | (711/201 or 711/205 or 711/206) and (712/204 or 712/300) | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L25 | 18 | L24 and endian$4 | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L26 | 511 | endian with (convert$4 or conversion) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L27 | 5 | endian with (convert$4 or conversion) same (map$4 with (table or journal or log or record )) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L28 | 2 | endian with (convert$4 or conversion) same ((address or data) near5 coherent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L29 | 98 | (endian with (convert$4 or conversion)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |

| L30 | 7 | (endian with (convert$4 or conversion) and table).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
|-----|-----|------|------|-----|-----|------|
| L31 | 2 | (data and address) coherent with (convert$4 or conversion) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L32 | 3 | ((data and address) near6 coherent) with (convert$4 or conversion) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L33 | 44 | data coherent with (convert$4 or conversion) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L35 | 22 | (table or log or journal or record) with endian$4 with (convert$4 or conversion) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L36 | 476 | NISHIKAWA.in. with SATOSHI.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L38 | 476 | SATOSHI.in. near3 NISHIKAWA.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L39 | 1 | L38 and endian | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |

| L40 | 19 | endian$4 adj3 type with (convert$4 or conversion) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
|-----|-----|-----|-----|-----|-----|-----|
| L42 | 211 | (endian$4 adj conver$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L43 | 7 | (endian$4 near2 conver$5) with (table or journal or log) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L44 | 64 | (stor$3 or specif$4 or record$3 or stipulat$3) with (endian$4 near2 conver$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L45 | 93 | (711/201 or 711/205 or 711/206) and (712/204 or 712/300) | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L46 | 18 | L45 and endian$4 | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L47 | 106 | endian$5.ab. | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L48 | 157 | endian$5.ab. and (conversion$5.ab. or convert$4 or swap$4 or translat$5 or shift$4).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L51 | 46 | endian$5.ab. and (conversion$5.ab. or convert$4 or swap$4 or translat$5 or shift$4).ab. | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L52 | 3 | endian$5.ab. and (conversion$5.ab. or convert$4 or swap$4 or translat$5 or shift$4).ab. and table.ab. | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L53 | 25 | (big and little and endian$5).ab. and (conversion$5.ab. or convert$4 or swap$4 or translat$5 or shift$4).ab. | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |

| L54 | 2 | data coherent with endian$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
|---|---|---|---|---|---|---|
| L55 | 4 | data near2 coherent with endian$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L56 | 2 | address near2 coherent with endian$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L57 | 441 | endian$5 near2 (conversion$5 or convert$4 or swap$4 or translat$5 or shift$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L58 | 15 | endian$5 near2 (conversion$5 or convert$4 or swap$4 or translat$5 or shift$4) with (table or entry or journal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L59 | 15 | determin$6 with endian$5 near2 (conversion$5 or convert$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L64 | 26 | determin$5 near6 endian$5 near6 (type or conversion or convert$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L65 | 10 | determin$5 near6 endian$5 near6 (type or conversion or convert$4) | USPAT | ADJ | ON | 2007/10/24 09:07 |
| L67 | 46 | endian$5.ab. and (conversion$5.ab. or convert$4 or swap$4 or translat$5 or shift$4).ab. | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |

| L68 | 98 | (endian with (convert$4 or conversion)).ab. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
|-----|-----|---------------------------------------------|---------------------------------------------------|-----|-----|------------------|
| L69 | 26 | determin$5 near6 endian$5 near6 (type or conversion or convert$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L70 | 15 | endian$5 near2 (conversion$5 or convert$4 or swap$4 or translat$5 or shift$4) with (table or entry or journal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L71 | 3 | endian$5.ab. and (conversion$5.ab. or convert$4 or swap$4 or translat$5 or shift$4).ab. and table. ab. | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L72 | 4 | data near2 coherent with endian$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L73 | 2 | data coherent with endian$5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L74 | 25 | (big and little and endian$5).ab. and (conversion$5.ab. or convert$4 or swap$4 or translat$5 or shift$4). ab. | US-PGPUB; USPAT | ADJ | ON | 2007/10/24 09:07 |
| L75 | 15 | determin$6 with endian$5 near2 (conversion$5 or convert$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L76 | 2 | data coherent with endian$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |

| L77 | 2 | address coherent with endian$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
|-----|-----|-----|-----|-----|-----|-----|
| L78 | 18 | two near3 type with endian$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L79 | 36159 | intel.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L80 | 87 | L79 and endian$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L81 | 7 | L79 and endian$5 and coheren$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L82 | 628 | address near8 endian$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L84 | 23 | address near8 endian$4 and L79 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |

| L85 | 39 | address with endian$4 with swap$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
|-----|-----|-----|-----|-----|-----|-----|
| L86 | 478 | (address near5 swap$4) and ((byte or bit) near5 swap$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L87 | 145 | (address near5 swap$4) and ((byte or bit) near5 swap$4) and endian$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L88 | 15 | (address near5 swap$4) and ((byte or bit) near5 swap$4) and endian$4 near5 conver$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L89 | 33 | endian$4 with address near3 conver$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L90 | 405 | 712/300.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L91 | 555 | endian$4 with (convert$4 or convers$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |

| L92 | 25 | L90 and L91 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L93 | 20 | (710/65.ccls. or 710/66.ccls. or 710/67.ccls. or 710/68.ccls. or 710/69.ccls. or 710/7?.ccls.) and L91 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |
| L94 | 16 | L93 not L92 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/10/24 09:07 |